



LV-L02

Lens

*Please note that accessories depicted in the image are for illustrative purposes only and may not be included with the product.

Specifications


Model		LV-L02
Туре		Lens attachment for the LV-NH47/LV-H47
Area width	Standard mode	Detecting distance at 55 mm 2.17": 17 mm 0.67" Detecting distance at 70 mm 2.76": 20.5 mm 0.81" Detecting distance at 85 mm 3.35": 24 mm 0.84"
	When slit 1 is equipped	Detecting distance at 55 mm 2.17": 13.0 mm 0.51" Detecting distance at 70 mm 2.76": 15.5 mm 0.61" Detecting distance at 85 mm 3.35": 18.0 mm 0.71"
	When slit 2 is equipped	Detecting distance at 55 mm 2.17": 11.0 mm 0.43" Detecting distance at 70 mm 2.76": 13.0 mm 0.51" Detecting distance at 85 mm 3.35": 15.0 mm 0.59"
	When slit 3 is equipped	Detecting distance at 55 mm 2.17": 8.5 mm 0.33" Detecting distance at 70 mm 2.76": 10.0 mm 0.39" Detecting distance at 85 mm 3.35": 11.5 mm 0.45"
	When slit 4 is equipped	Detecting distance at 55 mm 2.17": 6.0 mm 0.24" Detecting distance at 70 mm 2.76": 7.5 mm 0.30" Detecting distance at 85 mm 3.35": 9.0 mm 0.35"
Area thickness		Detecting distance at 55 mm 2.17": 3.0 mm 0.12" Detecting distance at 70 mm 2.76": 3.4 mm 0.13" Detecting distance at 85 mm 3.35": 3.8 mm 0.15"
Material	Case	Polyacetal (main body), Arton (lens)
Weight		Approx. 1 g





Dimensions

* Download CAD file or product manual for larger image/text and more detail.


LV-L02







Slit for LV-L02



	L
Slit1	2.6
Slit2	2.0
Slit3	1,5
Slit4	1,1