



OP-88294

Securing bracket for plastic clamp set

*Please note that accessories depicted in the image are for illustrative purposes only and may not be included with the product.


Specifications

Model	OP-88294
Type	Securing bracket for plastic clamp set
Applicable product	FD-XC1R1/XC1R2 FD-XC8R1/XC8R2/XC8R3 FD-XC20R1/XC20R2/XC20R3/XC20R4
Material	PPS
Note	For securing the plastic clamp set to a jig, etc. Use when clamping to a soft plastic tube.
Weight	Approx. 55 g

Dimensions

* Download CAD file or product manual for larger image/text and more detail.

FD-XS20+FD-XC20R4+OP-88294





Technical drawing of the front view of the motor assembly. Dimensions shown:

- Total width: 134
- Mounting flange width: 5
- Main body width: 120
- Terminal box width: 45
- Gap between main body and terminal box: 4

2 Holes for M4 threaded screws (width: 5.8mm)



M4 threaded screws x 2



5 120 134 4.5 4

2 Holes for M4 threaded screws
(width: 5.8mm)



M4 threaded screws x 2



5 120 134 4.5 4



2 Holes for M4 threaded screws
(width: 5.8mm)

M4 threaded screws x 2



2 Holes for M4 threaded screws
(width: 5.8mm)



M4 threaded screws x 2



5 120 134 4.5 4

2 Holes for M4 threaded screws (width: 5.8mm)



M4 threaded screws x 2




5 120 4 4.5

2 Holes for M4 threaded screws
(width: 5.8mm)


M4 threaded screws x 2



FD-XS8+FD-XC8R2+OP-88294



FD-XS8+FD-XC8R3+OP-88294



OP-88294

